



MORIN BUILDING
8570 EXECUTIVE PARK AVENUE
FAIRFAX, VIRGINIA 22031

Date Issued: May 29, 2024
To: All Prospective Offerors
Issued by: Brian Carter, Procurement Specialist II
Subject: Addendum #4 to IFB #23-054 Repair Clamps

The purpose of this addendum is to answer questions that were made before the deadline for their submission and make revisions to the IFB and bid form.

I. General

1. The deadline for submitting bids will remain prior to 2:00 p.m, Friday, June 7, 2024.

II. Changes to Bid specifications and Related Requirements

1. The bid form shall be amended to the attached *Attachment 1 – Bid Submission Form – Amended May 29, 2024*. Bidders shall provide a completed copy of the amended bid form with their bid. Please note: line item numbers on the amended bid form have been changed from the original.

III. Questions and Answers

1. Q: Are 15” long clamps acceptable in lieu of 16”?
A: **Yes, 15” long clamps will be accepted as a substitute for 16” log clamps.**
2. Q: You have listed on some clamps to be 10” or 12” lengths. Does FFX Water have a preference?
A: **Fairfax Water does not have a preference in instances where multiple lengths are provided. Any length included in an item’s description will be considered acceptable.**
3. Q: Below is what we are submitting for OD ranges which differ from what is on the contract document.

Item # 17-26 – 6.84”-7.24”
Item# 28-36 – 8.99”-9.39”
Item# 40-45 – 13.20”-14”
Item# 47 – 15.92”-17.12”
Item# 48-49 – 17.15”-18.35”
Item# 50 – 21.52”-22.72”

Addendum #4 to IFB #23-054
Repair Clamps

A: Fairfax Water has reviewed all of the above OD ranges and determined them to be acceptable substitutes for the ranges listed on the bid form. The bid form has been amended to include each of the additional OD range options. Bidders shall bid on only one option for each nominal clamp size that includes multiple OD ranges. Please note: line item numbers on the amended bid form have been changed from the original.

4. Q: Are the following OD ranges acceptable?

- o For item #17-26: 6.84-7.24"
- o For item #28-36: 8.99-9.39"
- o For item #37-39: 11.04-11.44
- o For item #40-45: 13.1-13.5

A: Fairfax Water has reviewed all of the above OD ranges and determined them to be acceptable substitutes for the ranges listed on the bid form. The bid form has been amended to include each of the additional OD range options. Bidders shall bid on only one option for each nominal clamp size that includes multiple OD ranges. Please note: line item numbers on the amended bid form have been changed from the original.

5. Q: Who has the current repair clamp contract?

A: Fairfax Water does not currently maintain an annual contract to purchase repair clamps. Previous repair clamp purchases have been solicited and purchased on an as-needed basis through requests for quotes (RFQs).

6. Q: Brand / Model preference?

A: Fairfax Water will evaluate all bids to provide materials meeting the requirements and specifications required by the IFB and addenda. Per IFB section 2D: "FW views the approved products as the level of quality required. Bidders intending to propose substitute products as equals to the products specified in the IFB must submit in writing their request to the Procurement Contact prior to the Deadline for Questions shown on the cover sheet. Any requests for an alternate product shall indicate the manufacture and model and provide enough product detail to demonstrate the proposed alternate is equal to product specified in the IFB. Bidders shall provide the full specifications of the proposed clamp (outside diameter range of pipe clamp will fit, exact length of clamp, etc.). Acceptance of alternate will be at the sole discretion of FW. FW will review any proposed products and address their suitability as an alternate via addendum to the IFB."

IV. Acknowledgement

Acknowledge your receipt of, and compliance with, this Addendum by either signing the attached acknowledgement, or referencing its receipt and your compliance, in your bid.

Addendum #4 to IFB #23-054
Repair Clamps

ACKNOWLEDGEMENT OF RECEIPT OF ADDENDUM # 4

I certify that the information contained in the proposal submitted on behalf of the below named firm incorporates any and all changes to the original specification. I further certify by my signature below, that I am fully authorized to acknowledge receipt of the above addendum and also bind the below named firm to the terms, conditions and specifications of the IFB and any changes thereto made by this addendum.

ACKNOWLEDGED BY:

FOR: _____
Company Name

Date

Signature of Authorized Agent

Printed/typed name

Title

**IFB 23-054
Repair Clamps**

ATTACHMENT 1

**BID SUBMISSION FORM
AMENDED MAY 29, 2024**

COMPANY NAME: _____

ADDRESS: _____

CONTACT PERSON: _____

TELEPHONE: _____ E-MAIL: _____

Pursuant to Title 13.1 or Title 50 of the Virginia Code provide the identification number issued to your firm by the Virginia State Corporation Commission (VSCC) in the space provided below, If your firm is not required to be authorized to transact business under Title 12.1 or Title 50, or any other law; provide a statement why your firm is not required to be so authorized.

_____	_____
Company Name	Identification Number

If you do not have a VSCC identification number, explain why it is not required in the space below:

The Following Documents are Attached to and Made Part of this Bid:

1. Fully completed Bid Submission Form.
2. A completed Attachment 2 References

Annual Economic Price Adjustment:

Per Section 3.6, Bidder Chosen BLS Index:

If this line item is left blank, the applicable CPI-U for Washington-Arlington-Alexandria (unadjusted for seasonal changes) shall be the default index for the term of the Contract

- All Bids are to be quoted as FOB Destination. Include all necessary costs in your Bid submission (see above). Failure to include the cost of shipping and handling will be interpreted as included in the unit price for each item. FW will not pay for shipping and handling charges not included in your Bid.

IFB 23-054
Repair Clamps

- **TERMS:** _____ All Bids will be interpreted as Net 30, unless otherwise specified herein. FW's minimum payment term is Net 30 days. By submitting an offer to sell in response to this solicitation, all Bidders acknowledge and agree to this requirement.

Bid Submission Form: Pricing Schedule

The sizes of the following materials are presented as “Nominal Diameter of Pipe Repaired” x “Nominal Length of Repair Clamp”. A pre-approved outside diameter (OD) range is also provided for each clamp. In instances where multiple OD range options are provided for a single nominal clamp size (e.g. Item 15 – Repair Clamp, SS, 6” x 12” includes OD option 15a and OD option 15b), bidders shall provide a unit price for only one of the OD ranges (e.g. 15a or 15b).

Bid Item	Description	Quantity	Unit of Issue	Unit Price	Total Price
1.	Repair Clamp,SS,2" x 12" OD Range: 2.5"	11	EA	\$	\$
2.	Repair Clamp,SS,2" x 7 1/2"- 8" OD Range: 2.5"	22	EA	\$	\$
3.	Repair Clamp,SS,2-1/4" x 12" & 12-1/2" OD Range: 2.7" - 3"	49	EA	\$	\$
4.	Repair Clamp,SS,2-1/4" x 7 1/2"- 8" OD Range: 2.7" - 3"	75	EA	\$	\$
5.	Repair Clamp,SS,3" x 12" & 12-1/2" OD Range: 3.8" – 3.96"	28	EA	\$	\$
6.	Repair Clamp,SS,3" x 7 1/2",8" OD Range: 3.8" – 3.96"	26	EA	\$	\$
7.	Repair Clamp,SS,3" x 8",w/3/4",Tap OD Range: 3.8" – 3.96"	6	EA	\$	\$
8.	Repair Clamp,SS,4" x 12" OD Range: 4.8" – 5"	21	EA	\$	\$
9.	Repair Clamp,SS,4" x 12" w/3/4",Tap OD Range: 4.8" – 5"	5	EA	\$	\$
10.	Repair Clamp,SS,4" x 15" w/3/4",Tap OD Range: 4.8" – 5"	1	EA	\$	\$
11.	Repair Clamp,SS,4" x 16" OD Range: 4.8" – 5"	2	EA	\$	\$
12.	Repair Clamp,SS,4" x 30" w/3/4",Tap OD Range: 4.8" – 5"	1	EA	\$	\$
13.	Repair Clamp,SS,4" x 7 1/2",8" OD Range: 4.8" – 5"	46	EA	\$	\$
14.	Repair Clamp,SS,4" X 7 1/2",8",3/4"TAP OD Range: 4.8" – 5"	10	EA	\$	\$
15.	Bidders shall bid on <u>one</u> of the following options only: 15a <u>or</u> 15b				
15a.	Repair Clamp,SS,6" x 12" OD Range: 6.9" – 7.38"	72	EA	\$	\$
15b.	Repair Clamp,SS,6" x 12" OD Range: 6.84" – 7.24"	72	EA	\$	\$

**IFB 23-054
Repair Clamps**

Bid Item	Description	Quantity	Unit of Issue	Unit Price	Total Price
16.	Bidders shall bid on one of the following options only: 16a or 16b				
16a.	Repair Clamp,SS,6" x 12" w/3/4",Tap OD Range: 6.9" – 7.38"	13	EA	\$	\$
16b.	Repair Clamp,SS,6" x 12" w/3/4",Tap OD Range: 6.84" – 7.24"	13	EA	\$	\$
17.	Bidders shall bid on one of the following options only: 17a or 17b				
17a.	Repair Clamp,SS,6" x 16" OD Range: 6.9" – 7.38"	9	EA	\$	\$
17b.	Repair Clamp,SS,6" x 16" OD Range: 6.84" – 7.24"	9	EA	\$	\$
18.	Bidders shall bid on one of the following options only: 18a or 18b				
18a.	Repair Clamp,SS,6" x 20" OD Range: 6.9" – 7.38"	1	EA	\$	\$
18b.	Repair Clamp,SS,6" x 20" OD Range: 6.84" – 7.24"	1	EA	\$	\$
19.	Bidders shall bid on one of the following options only: 19a or 19b				
19a.	Repair Clamp,SS,6" x 24" OD Range: 6.9" – 7.38"	1	EA	\$	\$
19b.	Repair Clamp,SS,6" x 24" OD Range: 6.84" – 7.24"	1	EA	\$	\$
20.	Bidders shall bid on one of the following options only: 20a or 20b				
20a.	Repair Clamp,SS,6" x 24" w/3/4",Tap OD Range: 6.9" – 7.38"	1	EA	\$	\$
20b.	Repair Clamp,SS,6" x 24" w/3/4",Tap OD Range: 6.84" – 7.24"	1	EA	\$	\$
21.	Bidders shall bid on one of the following options only: 21a or 21b				
21a.	Repair Clamp,SS,6" x 30" OD Range: 6.9" – 7.38"	1	EA	\$	\$
21b.	Repair Clamp,SS,6" x 30" OD Range: 6.84" – 7.24"	1	EA	\$	\$
22.	Bidders shall bid on one of the following options only: 22a or 22b				
22a.	Repair Clamp,SS,6" x 30" w/3/4",Tap OD Range: 6.9" – 7.38"	1	EA	\$	\$
22b.	Repair Clamp,SS,6" x 30" w/3/4",Tap OD Range: 6.84" – 7.24"	1	EA	\$	\$
23.	Bidders shall bid on one of the following options only: 23a or 23b				
23a.	Repair Clamp,SS,6" x 7 1/2",8" OD Range: 6.9" – 7.38"	200	EA	\$	\$
23b.	Repair Clamp,SS,6" x 7 1/2",8" OD Range: 6.84" – 7.24"	200	EA	\$	\$

IFB 23-054
Repair Clamps

Bid Item	Description	Quantity	Unit of Issue	Unit Price	Total Price
24.	Bidders shall bid on one of the following options only: 24a or 24b				
24a.	Repair Clamp,SS,6" x 7 1/2",8",3/4"Tap OD Range: 6.9" – 7.38"	34	EA	\$	\$
24b.	Repair Clamp,SS,6" x 7 1/2",8",3/4"Tap OD Range: 6.84" – 7.24"	34	EA	\$	\$
25.	Bidders shall bid on one of the following options only: 25a or 25b				
25a.	Repair Clamp,SS,8" x 10",12" OD Range: 9.05" – 9.6"	42	EA	\$	\$
25b.	Repair Clamp,SS,8" x 10",12" OD Range: 8.99" – 9.39"	42	EA	\$	\$
26.	Bidders shall bid on one of the following options only: 26a or 26b				
26a.	Repair Clamp,SS,8" x 12" w/3/4",Tap OD Range: 9.05" – 9.6"	6	EA	\$	\$
26b.	Repair Clamp,SS,8" x 12" w/3/4",Tap OD Range: 8.99" – 9.39"	6	EA	\$	\$
27.	Bidders shall bid on one of the following options only: 27a or 27b				
27a.	Repair Clamp,SS,8" x 15" w/3/4",Tap OD Range: 9.05" – 9.6"	1	EA	\$	\$
27b.	Repair Clamp,SS,8" x 15" w/3/4",Tap OD Range: 8.99" – 9.39"	1	EA	\$	\$
28.	Bidders shall bid on one of the following options only: 28a or 28b				
28a.	Repair Clamp,SS,8" x 16" OD Range: 9.05" – 9.6"	6	EA	\$	\$
28b.	Repair Clamp,SS,8" x 16" OD Range: 8.99" – 9.39"	6	EA	\$	\$
29.	Bidders shall bid on one of the following options only: 29a or 29b				
29a.	Repair Clamp,SS,8" x 20" w/3/4",Tap OD Range: 9.05" – 9.6"	3	EA	\$	\$
29b.	Repair Clamp,SS,8" x 20" w/3/4",Tap OD Range: 8.99" – 9.39"	3	EA	\$	\$
30.	Bidders shall bid on one of the following options only: 30a or 30b				
30a.	Repair Clamp,SS,8" x 24" OD Range: 9.05" – 9.6"	1	EA	\$	\$
30b.	Repair Clamp,SS,8" x 24" OD Range: 8.99" – 9.39"	1	EA	\$	\$
31.	Bidders shall bid on one of the following options only: 31a or 31b				
31a.	Repair Clamp,SS,8" x 30" OD Range: 9.05" – 9.6"	2	EA	\$	\$
31b.	Repair Clamp,SS,8" x 30" OD Range: 8.99" – 9.39"	2	EA	\$	\$

IFB 23-054
Repair Clamps

Bid Item	Description	Quantity	Unit of Issue	Unit Price	Total Price
32.	Bidders shall bid on one of the following options only: 32a or 32b				
32a.	Repair Clamp,SS,8" x 7 1/2",8" OD Range: 9.05" – 9.6"	68	EA	\$	\$
32b.	Repair Clamp,SS,8" x 7 1/2",8" OD Range: 8.99" – 9.39"	68	EA	\$	\$
33.	Bidders shall bid on one of the following options only: 33a or 33b				
33a.	Repair Clamp,SS,8" X 7 1/2",8",3/4"TAP OD Range: 9.05" – 9.6"	13	EA	\$	\$
33b.	Repair Clamp,SS,8" X 7 1/2",8",3/4"TAP OD Range: 8.99" – 9.39"	13	EA	\$	\$
34.	Bidders shall bid on one of the following options only: 34a or 34b				
34a.	Repair Clamp,SS,10" x 10" OD Range: 11.1" – 11.84"	11	EA	\$	\$
34b.	Repair Clamp,SS,10" x 10" OD Range: 11.04" – 11.44"	11	EA	\$	\$
35.	Bidders shall bid on one of the following options only: 35a or 35b				
35a.	Repair Clamp,SS,10" x 16" w/3/4",Tap OD Range: 11.1" – 11.84"	1	EA	\$	\$
35b.	Repair Clamp,SS,10" x 16" w/3/4",Tap OD Range: 11.04" – 11.44"	1	EA	\$	\$
36.	Bidders shall bid on one of the following options only: 36a or 36b				
36a.	Repair Clamp,SS,10" x 30" OD Range: 11.1" – 11.84"	1	EA	\$	\$
36b.	Repair Clamp,SS,10" x 30" OD Range: 11.04" – 11.44"	1	EA	\$	\$
37.	Bidders shall bid on one of the following options only: 37a or 37b or 37c				
37a.	Repair Clamp,SS,12" x 10" -12" OD Range: 13.2" – 14.08"	18	EA	\$	\$
37b.	Repair Clamp,SS,12" x 10" -12" OD Range: 13.2" – 14.0"	18	EA	\$	\$
37c.	Repair Clamp,SS,12" x 10" -12" OD Range: 13.1" – 13.5"	18	EA	\$	\$
38.	Bidders shall bid on one of the following options only: 38a or 38b or 38c				
38a.	Repair Clamp,SS,12" x 10"- 12",3/4",Tap OD Range: 13.2" – 14.08"	5	EA	\$	\$
38b.	Repair Clamp,SS,12" x 10"- 12",3/4",Tap OD Range: 13.2" – 14.0"	5	EA	\$	\$
38c.	Repair Clamp,SS,12" x 10"- 12",3/4",Tap OD Range: 13.1" – 13.5"	5	EA	\$	\$

**IFB 23-054
Repair Clamps**

Bid Item	Description	Quantity	Unit of Issue	Unit Price	Total Price
39.	Bidders shall bid on one of the following options only: 39a or 39b or 39c				
39a.	Repair Clamp,SS,12" x 20" OD Range: 13.2" – 14.08"	4	EA	\$	\$
39b.	Repair Clamp,SS,12" x 20" OD Range: 13.2" – 14.0"	4	EA	\$	\$
39c.	Repair Clamp,SS,12" x 20" OD Range: 13.1" – 13.5"	4	EA	\$	\$
40.	Bidders shall bid on one of the following options only: 40a or 40b or 40c				
40a.	Repair Clamp,SS,12" x 30" w/3/4",Tap OD Range: 13.2" – 14.08"	2	EA	\$	\$
40b.	Repair Clamp,SS,12" x 30" w/3/4",Tap OD Range: 13.2" – 14.0"	2	EA	\$	\$
40c.	Repair Clamp,SS,12" x 30" w/3/4",Tap OD Range: 13.1" – 13.5"	2	EA	\$	\$
41.	Bidders shall bid on one of the following options only: 41a or 41b				
41a.	Repair Clamp,SS,14" x 15" OD Range: 15.3" – 16.32"	1	EA	\$	\$
41b.	Repair Clamp,SS,14" x 15" OD Range: 15.92" – 17.12"	1	EA	\$	\$
42.	Bidders shall bid on one of the following options only: 42a or 42b				
42a.	Repair Clamp,SS,16" x 15" w/3/4",Tap OD Range: 17.4" – 18.54"	3	EA	\$	\$
42b.	Repair Clamp,SS,16" x 15" w/3/4",Tap OD Range: 17.15" – 18.35"	3	EA	\$	\$
43.	Bidders shall bid on one of the following options only: 43a or 43b				
43a.	Repair Clamp,SS,16" x 16" OD Range: 17.4" – 18.54"	1	EA	\$	\$
43b.	Repair Clamp,SS,16" x 16" OD Range: 17.15" – 18.35"	1	EA	\$	\$
44.	Bidders shall bid on one of the following options only: 44a or 44b				
44a.	Repair Clamp,SS,20" x 20" OD Range: 21.6" – 23.02"	1	EA	\$	\$
44b.	Repair Clamp,SS,20" x 20" OD Range: 21.52" – 22.72"	1	EA	\$	\$
45.	Repair Clamp,SS,24" x 20" OD Range: 25.8" – 26.32"	1	EA	\$	\$
				Total Price:	\$

Note: The Bidder understands and agrees that the quantities listed in the Price Schedule above are for evaluation purposes only and FW is under no obligation to buy any amount as a result of having being awarded a Contract.

IFB 23-054
Repair Clamps

By my signature I certify that I am acting as an agent or in the case of an LLP, the Partner or Managing Partner for the firm identified below and I am fully authorized to bind the firm to the terms, conditions and Specifications of this solicitation, as well as any addenda thereto.

Company Name: _____

Signature: _____ Printed Name: _____

Title: _____ Date _____