

IFB 24-225
Furnish and Deliver Luminaires to Griffith Water Treatment Plant
Addendum No. 4

SECTION 2

1 SPECIFICATIONS & SCOPE OF WORK

2.1 Overview

- A. FW is soliciting Bids from qualified Bidders to provide FW with new, brand-name-only Sylvania product Area Flood Luminaire, Generation 4A, Selectable Wattage S190 (120/150/190 Watt selectable), Voltage HUV (277-480 volts), Dimming, Color Rendering Index 8, Color Temp 50 (5,000 Kelvin), **Distribution Type III (T3) and Distribution Type IV (T4), Color/Finish Bronze. as described in Section 2.2 – Design and Performance Specifications.**
- B. If any modifications, changes, or alterations have been made by the manufacturer which differ from that of Universal Product Code 46135629457, the revised product is not considered to be approved for acceptance under this Solicitation and will require approval prior to acceptance, in the sole determination of FW.

2.2 Design and Performance Specifications

- A. The Sylvania brand Area Flood Luminaire, Generation 4A, Selectable Wattage S190 (120/150/190 Watt selectable), Voltage HUV (277-480 volts), Dimming, Color Rendering Index 8, Color Temp 50 (5,000 Kelvin), Distribution Type IV (T4), Color/Finish Bronze shall be furnished and delivered new from the manufacturer **in an estimated quantity of 126.**
- B. The Sylvania brand Area Flood Luminaire, Generation 4A, Selectable Wattage S190 (120/150/190 Watt selectable), Voltage HUV (277-480 volts), Dimming, Color Rendering Index 8, Color Temp 50 (5,000 Kelvin), Distribution Type III (T3), Color/Finish Bronze shall be furnished and delivered new from the manufacturer in an estimated quantity of 104.**
- C. Each luminaire shall be shipped with a universal mounting bracket allowing easy installation to round and square poles or slip-fitters. Each luminaire shall have integrated 7 pin photocontrol receptacle compatible with Standard NEMA photocell or 5 pin and 7 pin controllers, with a shorting cap included. Luminaire power shall be DLC 5.1 Premium listed to maximize rebate opportunities and to provide even, uniform lighting. Each luminaire shall be furnished and delivered with the optional photosensor providing additional energy savings. Each luminaire shall be 3G Vibration rated. Each luminaire shall be cULus Listed, RoHS Compliant, FCC compliant, and DLC Premium. Each luminaire shall be furnished to FW by Bidder with full conveyance of the manufacturer 10 Year Warranty.
- D. Luminaire dimensions shall be 25.47-inches X 13.11-inches X 6.73-inches, with an exact weight of 32.24 pounds. Luminaire design shall conform in every way to that of Universal Product Code 46135629457.

2.3 Accessories

- A. All Sylvania brand products shall be furnished and delivered with all necessary accessories for installation using the universal mounting bracket and any necessary screws, washers, caps, and accessories.

IFB 24-225
Furnish and Deliver Luminaires to Griffith Water Treatment Plant
Addendum No. 4

- B. All Sylvania brand products shall also be furnished and delivered with the optional photosensor, enabling additional energy savings.

2.4 Time of Performance

Bidder shall indicate the number of calendar days after receipt of a Purchase Order for delivery of an estimated quantity of two hundred and forty (2430) luminaires with all accessories to FW, with incoterms FOB Destination, to the Griffith Water Treatment Plant, located at 9600 Ox Road Lorton, VA 22079. Failure of the Bidder to confirm delivery shall be made within 14 calendar days following receipt of a Purchase Order will result in FW determining the Bid to be non-responsive.

END OF SECTION 2

IFB 24-225
Furnish and Deliver Luminaires to Griffith Water Treatment Plant
Addendum No. 4

Attachment 3 – Pricing Schedule

IFB 24-225				
Furnish and Deliver Luminaires to Griffith Water Treatment Plant				
<i>Instructions: Bidder shall bid a Unit Price in the cell E5 highlighted in yellow in US Dollars, to the nearest penny. For example, a Bidder may Bid \$400.05, but may not bid \$400.052.</i>				
Bid Item	Description	Estimated Quantities	Unit Price	Extended Price
1	Sylvania brand Area Flood Luminaire, Generation 4A, Selectable Wattage S190 (120/150/190 Watt selectable), Voltage HUV (277-480 volts), Dimming, Color Rendering Index 8, Color Temp 50 (5,000 Kelvin), Distribution Type IV (T4), Color/Finish Bronze	240 126		\$ -
2	Sylvania brand Area Flood Luminaire, Generation 4A, Selectable Wattage S190 (120/150/190 Watt selectable), Voltage HUV (277-480 volts), Dimming, Color Rendering Index 8, Color Temp 50 (5,000 Kelvin), Distribution Type III (T3), Color/Finish Bronze	104		\$ -
<i>Note: Unit Price shall include all delivery, overhead, and other costs to FW, and shall be interpreted as the whole cost to FW for delivery FOB Destination to the Griffith Water Treatment Plant, located at 9600 Ox Road Lorton, VA 22079.</i>				
Total Bid Price				\$ -

END OF ATTACHMENT 3 – PRICING SCHEDULE